## §573.180

rice hulls with monocalcium phosphate and anhydrous ammonia at a temperature of 350  $^{\circ}\mathrm{F}$  and a pressure of 175 pounds per square inch.

- (b) It is used or intended for use in the feed of beef cattle as a source of crude fiber and as the sole source of nonprotein nitrogen in an amount not to exceed 20 percent of the total ration.
- (c) To assure safe use of the additive. the label and labeling of the additive and of any feed additive supplement, feed additive concentrate, or feed additive premix prepared therefrom, shall contain, in addition to other information required by the act, the following:
  - (1) The name of the additive.
- (2) The maximum percentage of equivalent crude protein from the nonprotein nitrogen.
- (3) Directions for use to provide not more than 20 percent of the additive in the total ration, and a prominent statement: "Warning-This feed should be used only in accordance with the directions furnished on the label.

## § 573.180 Anhydrous ammonia.

- (a) The food additive anhydrous ammonia is applied directly to corn plant material and thoroughly blended prior to ensiling. It is used or intended for use as a source of nonprotein nitrogen in cattle feed in accordance with paragraphs (a)(1), (2), or (3) as follows:
- (1)(i) The food additive anhydrous ammonia is applied as a component of an aqueous premix containing 16 to 17 percent ammonia, with molasses, minerals, and not less than 83 percent crude protein. The premix is a source of nonprotein nitrogen and minerals.
- (ii) In addition to the requirements of paragraph (b) of this section, the labeling shall bear an expiration date of not more than 10 weeks after date of manufacture; a statement that additional protein should not be fed to lactating dairy cows producing less than 32 pounds of milk per day nor beef cattle consuming less than 1 percent of body weight daily in shelled corn; and a warning not to use additional trace mineral supplementation with treated
- (2)(i) The food additive anhydrous ammonia is applied directly to corn plant material for use in dairy or beef cattle rations.

- (ii) The anhydrous ammonia is applied at a rate not to exceed the equivalent of 0.35 percent of the corn plant material.
- (iii) It is applied to corn plant material containing 30 to 35 percent dry
- (iv) It is applied so that 75 to 85 percent of the additive is liquid at ambient pressure.
- (3)(i) The food additive anhydrous ammonia is applied after being diluted to a 15 to 30 percent aqueous ammonia solution (by weight).
- (ii) The anhydrous ammonia solution is applied at a rate not to exceed anhydrous ammonia equivalent to 0.3 percent of the corn plant material.
- (iii) It is applied to corn plant material containing 28 to 38 percent dry
- (iv) The silage treated with aqueous ammonia is to be fed to dairy cattle only.
- (b) Its labeling shall bear, in addition to the other requirements of the act. the name of the additive, the concentration of ammonia, the maximum percentage of equivalent crude protein from nonprotein nitrogen, and directions for use consistent with this sec-

[44 FR 40284, July 10, 1979]

## §573.200 Condensed animal protein hydrolysate.

- (a) Identity. The condensed animal protein hydrolysate is produced from the meat byproducts scraped from cured (salted) hides taken from cattle slaughtered for food consumption. The meat byproduct is hydrolyzed with heat and phosphoric acid.
- (b) Specifications. The additive shall conform to the following percent-byweight specifications:

Moisture, not less than 45 percent nor more than 50 percent.

Protein, not less than 24 percent.

Salt (NaCl), not more than 15 percent.

- Phosphorus, not less than 2.25 percent.
- (c) Uses. It is used or intended for use as a source of animal protein, phosphorus, and salt (NaCl) as follows:
- (1) In poultry and swine feed in an amount not to exceed 5 percent by weight of the feed.